


VICTORIAN BATHROOMS

— Est. 1989 —

BRITANNIA COLLECTION SHOWERS



Prices quoted ex-works Cape Town, inclusive of VAT
Prices are subject to change without prior notice
Please verify current prices & stock availability before ordering
01 June 2026

Britannia Collection

The Britannia Collection – a timeless range of tapware and showers that evokes a sense of comfort and nostalgia. A refined design that has evolved to be the best it can be – practical and elegant. Being well designed and affordably priced, this collection meets every need for traditional and modern classic interiors.

Victorian Bathrooms' reputation is built on a foundation of integrity, quality and passion. We have worked closely with our Italian tap manufacturer to create a vast collection specifically for the South African consumer. Made from the finest brass, the Britannia Collection is imported into South Africa in the chrome finish but customised bespoke finishes such as polished, brush and aged brass, or polished, brushed, and aged nickel, as well as powder coated matt black, are available on request (with an extended delivery time). In addition, the majority of the items (especially the components that are built into the wall) are manufactured from DZR brass, meeting the requirements of the local authorities.

The Britannia Collection is built to last – turning a simple task into a luxury experience. And with a comprehensive spares department offering full service and spares back-up, the longevity of this range will last for many years to come.

The Britannia Collection has the option of tap heads or levers as follows:
Please note that the pricing varies for the different tap head offerings.



**Traditional Cross Handle
White**



**Deluxe Lever
White**



**Deluxe Lever
Chrome**



**Traditional Cross Handle
Black**



**Deluxe Lever
Black**

Victorian Bathrooms include other specific high quality products from other manufacturers to supplement the existing Britannia Collection, whilst being complimentary in design, e.g. the St James Collection.

Britannia Concealed Manual Shower Mixers

When deciding on a shower configuration, it is important to note whether your plumbing will be concealed inside the wall or visible against the tiling.

Concealed shower mixers are designed for plumbing to be built within the wall.



Concealed Single Lever Shower Mixer

The backplate is available in two sizes, 80mm and 118mm diameters.

Shower plumbing to be concealed within the wall. Should it be required, an extension piece is available at an additional cost.

Dimensions:

Inlets: 15mm

Plate diameter: 118mm and 80mm

Small backplate

Code: 23007109

Price: R2 200

Large backplate

Code: 23007101

Price: R1 995

Plain lever	Black lever	Extension
23007103	2304300	23007104
R 595	R595	R1 000



Bath-Shower Mixer with Diverter

This mixer has a built-in diverter and is suitable to be used at a bath and in a shower.

Shower plumbing to be concealed within the wall. Should it be required, an extension piece is available at an additional cost.

The built-in diverter allows for water to be utilised between two water outlets.

Dimensions:

Inlets: 15mm

Bottom outlet: 22mm (primary water outlet)

Top outlet: 15mm (secondary water outlet)

Plate diameter: 155mm

Code: 23007301

Price: R3 690

Plain lever	Black lever	Extension
23007103	2304300	23007302
R 595	R595	R1 050

Britannia Concealed Manual Shower Mixers

When deciding on a shower configuration, it is important to note whether your plumbing will be concealed inside the wall or visible against the tiling.

Concealed shower mixers are designed for plumbing to be built within the wall.



Concealed Single Lever Shower Mixer with Arte backplate

Shower plumbing to be concealed within the wall. Should it be required, an extension piece is available at an additional cost.

Dimensions:
Inlets: 15mm
Outlet: 15mm
Plate height: 150mm
Plate width: 120mm

Shower mixer
Code: 23007101
Price: R1 995

Arte backplate
Code: 23407103
Price: R1 650

Total: R3 645



Bath-Shower Mixer with Diverter with Arte backplate

This mixer has a built-in diverter and is suitable to be used at a bath and in a shower. Shower plumbing to be concealed within the wall. Should it be required, an extension piece is available at an additional cost.

The built-in diverter allows for water to be utilised between two water outlets.

Dimensions:
Inlets: 15mm
Bottom outlet: 22mm (primary water outlet)
Top outlet: 15mm (secondary water outlet)
Plate height: 150mm
Plate width: 120mm

Shower mixer with diverter
Code: 23007301
Price: R3 690

Arte backplate
Code: 23407303
Price: R2 090

Total: R5 780

St James Concealed Thermostatic Shower Mixers

Thermostatic shower valves enable greater control of the temperature ensuring a constant and safe water temperature, preventing scalding. This is particularly useful for those with solar geysers that reach very high temperatures, for the elderly and young children.


Features:

The temperature control is factory set to a maximum of 45°C

Thermostatic shower mixers have quarter-turn ceramic disk operation

All shower mixers are to be used with a balanced water pressure between 100 – 400 Kpa

The elegant white levers & indices are made of the highest quality porcelain



Concealed thermostatic shower mixer

Shower plumbing to be concealed within the wall. With an engraved concealing plate, top cross handle and bottom lever. An extension kit is available at an additional cost if required.

Dimensions:

Inlets: 15mm

Inlet centres: 150mm

Concealed Depth: 64 – 70mm

Plate height & width: 230mm x 170mm

Thermostatic mixer


Code: 21007602

Price: R25 300

Extension kit

Code: 21107701

Price: R5 200



Concealed thermostatic shower mixer & diverter

Shower plumbing to be concealed within the wall. With an engraved concealing plate, top cross handle and bottom lever. This shower mixer has a 2-way diverter where the top cross handle selects the desired water outlet and the bottom lever controls the temperature. An extension kit is available should it be required (21107701).

Dimensions:

Inlets: 15mm

Inlet centres: 150mm

Concealed Depth: 64 – 70mm

Plate height & width: 230mm x 170mm

Code: 21117601

Price: R30 300

Britannia Stop Taps

With Traditional Cross Handles or Deluxe Levers

with quarter turn ceramic disc mechanisms



Britannia stop tap with cross handle or lever

supplied with a sliding flange for ease of installation.

Supplied with hot and cold indices.

Priced individually.

Inlet: 15mm F x F

Cross Handle Projection: 85mm

Lever Projection: 95mm

Cross Handle Code: 23007811

Price: R1 595 each

Lever Code: 23007811 / 23504050

Price: R2 245 each

Overhead Shower Arms

Chrome plated shower arms for a concealed shower system



Britannia straight shower arms

Two arm lengths available – 400mm or 500mm

Dimensions:

Inlet: 15mm

Diameter of the arm: 22mm

Projection: 400mm or 500mm

400mm arm

Code: 23097201

Price: R1 395

500mm arm

Code: 23097203

Price: R1 850



French shower arm

Dimensions:

Inlet: 15mm

Diameter of the arm: 19mm

Projection: 450mm

Height from outlet to top: 170mm

Code: 27097401

Price: R1 950



Ceiling shower arm

Dimensions:

Diameter of the arm: 25mm

Length of the arm: 400mm

Code: 27097301

Price: R1 790

Britannia Exposed Manual Shower Mixers

When deciding on a shower configuration, it is important to note whether your plumbing will be concealed inside the wall or visible against the tiling.

Exposed shower mixers are designed for plumbing that is visible against the wall.



Exposed single lever manual shower mixer

Shower plumbing to be visible against the wall.

Requires an adaptor to connect to the riser pipe.

Dimensions:

Inlets: 15mm

Centres: 150mm

Shower mixer

Code: 23007701

Price: R5 390

Black lever

Code: 23007702

R1 650



Exposed bridge shower mixer – cross handles

With traditional cross handles.

Shower plumbing to be visible against the wall.

Requires an adaptor to connect to the riser pipe.

Dimensions:

Adjustable centres from 125 to 175mm

Code: 23002660

Price: R2 450



Exposed bridge shower mixer – levers

Available with standard or deluxe levers.

Shower plumbing to be visible against the wall.

Requires an adaptor to connect to the riser pipe.

Dimensions:

Adjustable centres from 125 to 175mm

Code: 23002660 / 23504050

Price: R3 750

Britannia Exposed Thermostatic Shower Mixer

Thermostatic shower valves enable greater control of the temperature ensuring a constant and safe water temperature, preventing scalding. This is particularly useful for those with solar geysers that reach very high temperatures, for the elderly and young children.

Features:

The shower mixer's temperature is factory set to a maximum of 45°C.

The elbows are supplied with inlet filters as well as flow reducers.

To be used with a balanced water pressure between 100 – 400 Kpa.



Britannia exposed thermostatic shower mixer

Shower plumbing to be visible against the wall.

Exposed shower body with the top lever controlling water flow whilst the cross handle tap head being the temperature control.

Requires an adaptor to connect to the riser pipe.

Dimensions:

Inlets: 15mm

Outlet: 22mm

Inlet centres: 150mm

Projection: 159mm

Distance from wall to centre of outlet: 37mm

Code: 23507405

Price: R13 950

St James Exposed Thermostatic Shower Mixer

Features:

The temperature control is factory set to a maximum of 45°C.

Thermostatic shower mixers have exposed quarter-turn ceramic disk operation.

All shower mixers are to be used with a balanced water pressure between 100 – 400 Kpa.

The elegant white levers & indices are made of the highest quality porcelain.



St James exposed thermostatic shower mixer

Shower plumbing to be visible against the wall.

Exposed shower body with a top cross handle and bottom lever.

Requires an adaptor to connect to the riser pipe.

Dimensions:

Inlets: 15mm

Outlet: 22mm

Inlet centres: 150mm

Projection: 155mm

Code: 21007402

Price: R25 300

Riser Pipes & Shower Arms



Britannia riser pipe & 400mm arm

Including the straight shower arm. Available in two distances from the wall – 33mm & 63mm.

The 33mm riser pipe is suitable to be used with the Britannia exposed thermostatic shower mixer and the Britannia exposed single lever shower mixer.

The 63mm riser pipe is suitable to be used with the exposed bridge shower mixer.

Dimensions:

Length: 1000mm

Diameter of the riser pipe: 18mm

33mm riser

Code: 23507000

Price: R2 950

63mm riser

Code: 23507001

Price: R2 950



Burlington riser pipe 18mm

Including the wall bracket/s.

Available in two lengths – 856mm and 2000mm.

The 856mm riser pipe is supplied with 1 wall bracket.

The 2000mm riser pipe comes with 2 wall brackets and is suitable to connect from a bath mixer to a shower system. Additional wall brackets (126SP188) can be purchased if required.

Dimensions:

Length: 856 or 2000mm

Diameter of the riser pipe: 18mm

856mm riser

Code: 12621000

Price: R2 000

2000mm riser

Code: 12622000

Price: R3 995

Adaptor

Code: 21006801

Price: R550

Exposed shower arms

To be used on the Burlington riser pipe

Diameter of arms: 18mm

Straight Shower Arm Dimensions:

Arm length: 400 or 500mm

400mm arm

Code: 27097502

Price: R2 250

500mm arm

Code: 27097501

Price: R2 595

Arm Dimensions:

Projection:

Height:

From outlet to top:

Curved Arm

450mm

330mm

210mm

French Arm

470mm

265mm

90mm

Curved Arm:

Code: 27097701

Price: R2 495

French Arm:

Code: 27097601

Price: R2 750



Britannia Shower Roses



Britannia shower rose, 6"



Britannia shower rose, 8"



Britannia shower rose, 12"

Britannia shower roses

The Britannia shower roses are available in 3 sizes – 6", 8" and 12" – and are supplied with ball joints. The antiscalé nipples enable any limescale build-up that may occur over time to be easily cleaned by wiping your finger across them. The 6" and 8" roses are fitted with 9 litre per minute aerators and the 12" rose with a 15 litre per minute aerator. It is imperative that the flow restrictor remain in the shower rose, especially if the water pressure exceeds 400 KPA / 4 Bar.

Shower rose, 6"

Diameter: 150mm

Code: 23089601

Price: R2 950

Shower rose, 8"

With antiscalé

Diameter: 200mm

Code: 23089703

Price: R3 950

Shower rose, 8"

No antiscalé

Diameter: 200mm

Code: 23089701

Price: R3 200

Shower rose, 12"

Diameter: 300mm

Code: 23089801

Price: R9 950

Britannia Ball Joint

Code: 23593601

Price: R390

Burlington Shower Roses

Burlington shower rose 6"

Min flow rate 9 litres per minute is recommended. Includes a ball joint.

Uses up to 33% less water due to its inbuilt Airburst technology.

Dimensions:

Diameter: 180mm

Code: 12616000

Price: R3 500



Burlington shower rose 9"

Min flow rate 9 litres per minute is recommended. Includes a ball joint.

Uses up to 33% less water due to its inbuilt Airburst technology.

Dimensions:

Diameter: 236mm

Code: 12617000

Price: R5 650



Victorian Shower Arm & Accompanying Roses



Victorian shower arm

Image shows arm with Victorian rose however the Victorian rose is priced separately.
Chrome-plated shower arm for a concealed shower system.

Dimensions:
Arm projection: 180mm

Code: 27097801

Price: R1 245



Victorian shower rose

Perfectly suited with the Victorian arm, the Victorian rose is small but effective.
A ball joint is included.

Dimensions:
Diameter: 80mm

Code: 25900101

Price: R1 125




Spray shower rose 5 settings

Shower rose with 5 different spray options.
It has easy clean, rubber anti scale nozzles, and a ball joint is included. Perfectly suited with the Victorian Arm.

Dimensions:
Diameter: 95mm.
Minimum of 7.5 litres per minute

Sprays:

1. Rain
2. Mist
3. Combination of rain and mist
4. Massage
5. Combination of rain and massage



Rain

Mist

Rain/Mist

Massage

Rain/Massage

Code: 25900102

Price: R1 860

Handshower Kits



Britannia handshower hook & elbow outlet

This handshower hook acts as a water outlet and bracket to hold the handshower.

Dimensions:

Inlet: 15mm

Hook & elbow outlet	23003052	R1 190	Black handshower Code: 23042000 R1 350
Britannia handshower	23004901	R1 300	
Hose, 1500mm	240085C0	R 755	
<u>Price:</u>		<u>R3 245</u>	



Britannia sliding rail kit

Includes the handshower, solid brass chrome plated rail and slider, and 1500mm flexible hose.

Does not include a wall elbow.

Dimensions:

Length of sliding rail: 690mm

Flange diameter: 60mm

Sliding rail kit

Includes sliding rail, slider, handshower & hose

Code: 23008505

Price: R5 450

Handshower

Includes handshower only

Code: 23004901

Price: R1 300



Britannia handshower bracket

Holds the handshower at an angle.

Code: 23005001

Price: R 450

Diverters



In line diverter

For an exposed shower system where plumbing is visible against the wall.
Economically priced in-line diverter for installation to exposed shower riser pipes.
15mm male and 22mm female connections
Requires an adaptor to connect to riser pipe.

In line diverter

Code: 23009201

Price: R 895

Adaptor for Burlington
riser pipe (1/2' to 18mm)

Code: 21006901

Price: R 575

Adaptor for Britannia
riser pipe (15mm to
18mm)

Code: 23006901

Price: R 220



Britannia two way deck/wall mounted diverter

For a concealed shower system where plumbing is installed within the wall.
This diverter is available as a wall mounted or deck mounted installation.

Dimensions:

Maximum thickness of deck / wall: 55mm

Deck mounted diverter

Code: 23007901

Price: R3 150

Wall mounted diverter

Code: 23008001

Price: R3 150

Additional Shower Items



Burlington cradle

To be used with an exposed shower riser pipe.

Dimensions:

Width: 131.5mm

Height: 81mm

Code: 12624000

Price: R1 400



Burlington soap basket

To be used with an exposed shower riser pipe.

Dimensions:

Width: 140mm

Depth: 118mm

Code: 12623000

Price: R1 400



Wall elbow

Water inlet for shower hose

15mm Male Outlet

Code: 21008901

Price: R 700



Flexible hose

Available in 2 lengths – 1250mm or 1500mm

1250mm length

Code: 240086C0

Price: R 655

1500mm length

Code: 240085C0

Price: R 755



Flow restrictor

Restricts the amount of flowing water to a maximum of 8.3 litres per minute. The flow of water is restricted through a process of aeration and flow reduction. Standard 15mm thread which enables this to be installed between any shower arm and shower rose.

Code: 21089301

Price: R 550



Square shower waste & trap

Supplied with stainless steel plate.

Dimensions:


Shower plate: 100 x 100mm

Code: 22032301

Price: R 395

Viega Square Shower Waste

Supplied standard with a stainless steel 100x100mm grate however selected powder-coated finishes are available at an additional cost. Every shower waste has a hair catcher and odour-trap. To assist with installation, each shower waste has a tiling plate and a swivel trap. It has a horizontal drain socket with ball joint and an extra inlet for the connection of an additional drain pipe. This waste is intended for a domestic household and has a flow rate of 36 litres per minute.



Viega square shower waste

Supplied standard with a stainless steel grate

Dimensions:

Grate: 100 x 100mm

Depth below tiling plate: 75mm

Waste:

Code: 22557119

Price: R1 745

Special Finish Options:

(4 – 6 week lead time)

Aged brass, Gloss gold,


Satin gold

Price: R695

Maxiflow Shower Channels

Available in 3 different lengths: 330mm, 600mm and 800mm.

Supplied standard with a stainless steel channel however selected powder-coated finishes are available at an additional cost. Every shower channel has a hair catcher and odour-trap. To assist with installation, each shower channel is supplied with waterproofing tape, adjustable feet and a 360-degree swivel trap. Drainage capacity has a flow rate of 32 litres per minute.



Maxiflow shower channels

Available in 3 different lengths: 330, 600 & 800mm.

Supplied standard with a stainless steel channel however selected powder-coated finishes are available at an additional cost.

Dimensions:	330mm	600mm	800mm
Plate length:	330mm	600mm	800mm
Plate width:	64.5mm	64.5mm	64.5mm
Base length:	389mm	654mm	859mm
Base width:	119mm	119mm	119mm
Depth:	55mm	55mm	55mm

330 Channel

22550330

R1 145

600 Channel

22550600

R1 500

800 Channel

22550800

R2 035

Special finishes are available in the following options (4 – 6 week lead time): Brushed Nickel, Aged Brass, Satin Gold, Gloss Gold and Matt Black.

Special finishes Pricing:

330 Channel

R1 785

600 Channel

R2 945

800 Channel

R3 300

15



Cape Town Showroom
18 Marine Drive
(Corner of Hermes Street)
Paarden Eiland
Tel 021 418 0855

Johannesburg Showroom
6 Kramer Road
(Corner of Kramer and Desmond Roads)
Kramerville
Tel 011 325 5503

victorianbathrooms.co.za | [@victorianbathrooms](https://www.instagram.com/victorianbathrooms)